

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAKAB1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 02	STN pricing information for 2008 now available
NEWS	3	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	4	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	5	JAN 28	MARPAT searching enhanced
NEWS	6	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	7	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	8	JAN 28	MEDLINE and LMEDLINE reloaded with enhancements
NEWS	9	FEB 08	STN Express, Version 8.3, now available
NEWS	10	FEB 20	PCI now available as a replacement to DPCI
NEWS	11	FEB 25	IFIREF reloaded with enhancements
NEWS	12	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	13	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	14	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	15	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	16	MAR 31	CA/CAPlus and CASREACT patent number format for U.S. applications updated
NEWS	17	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	18	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	19	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	20	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS EXPRESS	FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008		
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 12:59:40 ON 15 APR 2008

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 12:59:46 ON 15 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 APR 2008 HIGHEST RN 1014671-54-5

DICTIONARY FILE UPDATES: 14 APR 2008 HIGHEST RN 1014671-54-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10524977.str



chain nodes :

12 13 14 15 16 17 18 19 20 22 23 24 25

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 21

chain bonds :

1-22 2-6 5-14 8-12 10-13 14-15 15-16 16-17 16-18 16-19 19-20 19-21 22-23

23-24 24-25

ring bonds :
 1-2 1-5 2-3 3-4 4-5 6-7 6-11 7-8 8-9 9-10 10-11
 exact/norm bonds :
 2-3 3-4 4-5 5-14 19-20 19-21
 exact bonds :
 1-2 1-5 1-22 2-6 8-12 10-13 14-15 15-16 16-17 16-18 16-19 22-23 23-24
 24-25
 normalized bonds :
 6-7 6-11 7-8 8-9 9-10 10-11
 isolated ring systems :
 containing 1 : 6 :


Match level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
 11:Atom 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS
 19:CLASS 20:CLASS
 21:Atom 22:CLASS 23:CLASS 24:CLASS 25:CLASS

L1 STRUCTURE UPLOADED

=> d L1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.46

0.67

FILE 'CAPLUS' ENTERED AT 13:00:15 ON 15 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is

held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Apr 2008 VOL 148 ISS 16
FILE LAST UPDATED: 14 Apr 2008 (20080414/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.48	1.15

FILE 'REGISTRY' ENTERED AT 13:00:29 ON 15 APR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 14 APR 2008 HIGHEST RN 1014671-54-5
DICTIONARY FILE UPDATES: 14 APR 2008 HIGHEST RN 1014671-54-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> d his

(FILE 'HOME' ENTERED AT 12:59:40 ON 15 APR 2008)

FILE 'REGISTRY' ENTERED AT 12:59:46 ON 15 APR 2008
L1 STRUCTURE UPLOADED

FILE 'CAPLUS' ENTERED AT 13:00:15 ON 15 APR 2008

FILE 'REGISTRY' ENTERED AT 13:00:29 ON 15 APR 2008

=> s L1 SSS full
FULL SEARCH INITIATED 13:00:47 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 146 TO ITERATE

100.0% PROCESSED 146 ITERATIONS 21 ANSWERS
SEARCH TIME: 00.00.01

L2 21 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

178.36

179.51

FILE 'CAPLUS' ENTERED AT 13:01:01 ON 15 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 15 Apr 2008 VOL 148 ISS 16

FILE LAST UPDATED: 14 Apr 2008 (20080414/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s L2

L3 2 L2

=> s L2 SSS full

L4 2 L2

=> d ibib abs hitstr 1-

YOU HAVE REQUESTED DATA FROM 2 ANSWERS - CONTINUE? Y/(N):y

L4 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:182871 CAPLUS Full-text

DOCUMENT NUMBER: 140:235706

TITLE: Preparation of substituted pyrazole derivatives as GnRH inhibitors

INVENTOR(S): Bird, Thomas Geoffrey Colerick; Maudet, Mickael Louis Pierre

PATENT ASSIGNEE(S): AstraZeneca AB, Swed.; AstraZeneca UK Limited

SOURCE: PCT Int. Appl., 53 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004018459	A1	20040304	WO 2003-GB3623	20030819
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003255811	A1	20040311	AU 2003-255811	20030819
EP 1539743	A1	20050615	EP 2003-792484	20030819
EP 1539743	B1	20070530		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006501231	T	20060112	JP 2004-530359	20030819
AT 363481	T	20070615	AT 2003-792484	20030819
ES 2286493	T3	20071201	ES 2003-792484	20030819
US 20050239858	A1	20051027	US 2005-525111	20050218
US 7253290	B2	20070807		
PRIORITY APPLN. INFO.:			EP 2002-292075	A 20020821
			WO 2003-GB3623	W 20030819
OTHER SOURCE(S):		MARPAT 140:235706		
GI				


* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Title compds. I [A = bond, alkylene; B = C(:X)R11; R1 = alkyl, etc.; R2 = mono- or bicyclic aromatic ring, etc.; R5 = 3-8 membered heterocyclic ring, etc.; R6-6a = H, alkyl, together equal CO; R7 = H, alkyl; X = N, CH; R8 = CN, H, OH, alkoxy, etc.; R11 = substituted amino, etc.] are prepared For instance, II (prepared in 4 steps from Me 3,5-dimethylbenzoate, butyrolactone and hydrazine) is reacted with 4-nitrophenyl chloroformate and 4-(pyrrolidin-3-yl)pyridine to give III. In an assay of GnRH-induced LH release, compds. of the invention are active at 1nM to 5µM.

IT 667466-15-1P 667466-16-2P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of substituted pyrazole derivs. as GnRH inhibitors)


RN 667466-15-1 CAPLUS

CN 1-Pyrrolidinecarboxamide, N-[2-[3-[2,2-dimethyl-3-oxo-3-(1-pyrrolidinyl)propoxy]-5-(3,5-dimethylphenyl)-1H-pyrazol-4-yl]ethyl]-3-(4-pyridinyl)- (CA INDEX NAME)



RN 667466-16-2 CAPLUS

CN Carbamic acid, [[[2-[3-[2,2-dimethyl-3-oxo-3-(1-pyrrolidinyl)propoxy]-5-(3,5-dimethylphenyl)-1H-pyrazol-4-yl]ethyl]amino][3-(4-pyridinyl)-1-pyrrolidinyl]methylene]-, 1-methylethyl ester (9CI) (CA INDEX NAME)




IT ~~667460-75-5P~~ ~~667466-26-4P~~

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of substituted pyrazole derivs. as GnRH inhibitors)


RN 667460-75-5 CAPLUS

CN Pyrrolidine, 1-[3-[[4-(2-aminoethyl)-5-(3,5-dimethylphenyl)-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



RN 667466-26-4 CAPLUS

CN Carbamic acid, [[[2-[3-[2,2-dimethyl-3-oxo-3-(1-pyrrolidiny)propoxy]-5-(3,5-dimethylphenyl)-1H-pyrazol-4-yl]ethyl]amino]thioxomethyl]-, 1-methylethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:182700 CAPLUS [Full-text](#)

DOCUMENT NUMBER: 140:235705

TITLE: Preparation of pyrazole derivatives as antagonists of gonadotropin releasing hormone (gnrh) for treating sex hormone related conditions

INVENTOR(S): Bird, Thomas Geoffrey Colerick; Herdemann, Matthias Ferdinand; Maudet, Mickael Louis Pierre

PATENT ASSIGNEE(S): AstraZeneca AB, Swed.; AstraZeneca UK Limited

SOURCE: PCT Int. Appl., 156 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1



PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004017961	A2	20040304	WO 2003-GB3633	20030819
WO 2004017961	A3	20040408		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,

FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,
 BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
 AU 2003255820 A1 20040311 AU 2003-255820 20030819
 EP 1531811 A2 20050525 EP 2003-792487 20030819
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
 JP 2006505528 T 20060216 JP 2004-530361 20030819
 US 20060287379 A1 20061221 US 2005-524977 20051128
 PRIORITY APPLN. INFO.: EP 2002-292077 A 20020821
 WO 2003-GB3633 W 20030819
 OTHER SOURCE(S): MARPAT 140:235705
 GI





AB Title compds. I [R1 = H, (un)substituted-alkyl, aryl, or arylalkyl; R2 = (un)substituted mono or bicyclic aromatic ring; R3 = arylalkylaminoalkyl, heterocyclalkylaminoalkyl, etc.; M = -(CH2)0-20-, or -CONH-; R5 = H, halo, heterocyclalkylcarbonylalkyl, etc.] and their pharmaceutically acceptable salts are prepared and disclosed as gonadotropin releasing hormone antagonists. Thus, e.g., II, was prepared in a multistep synthesis from Me 3,5-dimethylbenzoate and butyrolactone. In test assays, I possessed activity at concns. from 1 nM to 5 μ M.


IT 667459-73-6P 667459-74-7P 667459-75-8P
 667459-76-9P 667459-77-0P 667459-78-1P
 667459-79-2P 667459-80-5P 667459-81-6P
 667459-82-7P 667459-83-8P 667459-84-9P
 667459-85-0P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (drug candidate; preparation of pyrazoles as antagonists of gonadotropin releasing hormone)
 RN 667459-73-6 CAPLUS
 CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[2-(4-pyridinyl)ethyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-

oxopropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A





PAGE 2-A




RN 667459-74-7 CAPLUS
CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[3-(4-pyridinyl)propyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A





PAGE 2-A




RN 667459-75-8 CAPLUS
 CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[3-(3-pyridinyl)propyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A





PAGE 2-A




RN 667459-76-9 CAPLUS
 CN Pyrrolidine, 1-[3-[[4-[2-[[2-(4-cyanophenyl)ethyl]amino]ethyl]-5-(3,5-dimethylphenyl)-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)




PAGE 1-A





PAGE 2-A




RN 667459-77-0 CAPLUS
 CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[2-(4-methoxyphenyl)ethyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



RN 667459-78-1 CAPLUS
 CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[3-(4-methoxyphenoxy)propyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)





PAGE 2-A




RN 667459-79-2 CAPLUS
 CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[4-(4-pyridinyl)butyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 667459-80-5 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[4-(4-pyridinyl)butyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)




RN 667459-81-6 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[2-(4-pyridinyl)ethyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)




RN 667459-82-7 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[2-(1H-1,2,4-triazol-1-yl)ethyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)




RN 667459-83-8 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[4-[2-[[3-(4-acetyl-1-piperazinyl)propyl]amino]ethyl]-5-(3,5-dimethylphenyl)-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)




RN 667459-84-9 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[3-(4-acetylmorpholinyl)propyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



RN 667459-85-0 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[3-(1,1-dioxido-4-thiomorpholinyl)propyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



IT 667460-75-5P 667460-76-6P 667460-90-4P


667460-92-6P 667460-94-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of pyrazoles as antagonists of gonadotropin releasing hormone)


RN 667460-75-5 CAPLUS

CN Pyrrolidine, 1-[3-[[4-(2-aminoethyl)-5-(3,5-dimethylphenyl)-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



RN 667460-76-6 CAPLUS



CN Pyrrolidine, 1-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[2,4-dinitrophenyl)sulfonyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)




RN 667460-90-4 CAPLUS

CN 1H-Pyrazole-1-carboxylic acid, 3-[2,2-dimethyl-3-oxo-3-(1-pyrrolidinyl)propoxy]-5-(3,5-dimethylphenyl)-4-[2-[[4-(4-pyridinyl)butyl]amino]ethyl]-, 1,1-dimethylethyl ester (CA INDEX NAME)


PAGE 1-A






RN 667460-92-6 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[4-(2-aminoethyl)-5-(3,5-dimethylphenyl)-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



RN 667460-94-8 CAPLUS

CN 7-Azabicyclo[2.2.1]heptane, 7-[3-[[5-(3,5-dimethylphenyl)-4-[2-[[[(2,4-dinitrophenyl)sulfonyl]amino]ethyl]-1H-pyrazol-3-yl]oxy]-2,2-dimethyl-1-oxopropyl]- (9CI) (CA INDEX NAME)



=> log off

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

STN INTERNATIONAL LOGOFF AT 13:03:40 ON 15 APR 2008